

Version 5.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

[:] Icosit[®] KC 340/45 Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Te

: Technical casting compounds

1.3 Details of the supplier of the safety data sheet

| Company name of supplier | : | Sika Deutschland GmbH Kornwestheimer Str. 103-107 D-70439 Stuttgart |
|--|---|---|
| Telephone | : | +49 711 8009 0 |
| E-mail address of person responsible for the SDS | : | EHS@de.sika.com |

1.4 Emergency telephone number

Emergency CONTACT (24-Hour-Number): GBK GmbH Global Regulatory Compliance +49(0)6132-84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Type of product : Mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1

H317: May cause an allergic skin reaction.

Chronic aquatic toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

| Hazard pictograms | : | | * |
|--------------------------|---|----------------------------|--|
| Signal word | : | Warning | • |
| Hazard statements | : | H317 H411 | May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects. |
| Precautionary statements | : | Prevention: P261 | Avoid breathing dust/ fume/ gas/ mist/ va- pours/ spray. |
| | | P273 | Avoid release to the environment. |



| Version 5.0 | Print Date 20.06.2 |
|---|---|
|) Wear protective gloves/ protection. | eye protection/ face |
| ponse: | |
| 3 + P313 If skin irritation or rash of advice/ attention. | occurs: Get medical |
| 2 + P364 Take off contaminated of before reuse. | clothing and wash it |
| 1 Collect spillage. | |
| | Wear protective gloves/ protection. ponse: P313 If skin irritation or rash of advice/ attention. P364 Take off contaminated of before reuse. |

Hazardous components which must be listed on the label:

- 403-240-8 6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine
- 224-518-3 4-morpholinecarbaldehyde

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

| Chemical name CAS-No. EC-No. Registration number | Classification (REGULATION (EC) No 1272/2008) | Concentration [%] |
|--|---|----------------------|
| 6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine 106264-79-3 403-240-8 01-0000015292-76-XXXX | Acute Tox.4; H302 Skin Sens.1; H317 Aquatic Acute1; H400 Aquatic Chronic1; H410 | >= 2,5 - < 5 |
| 4-morpholinecarbaldehyde 4394-85-8 224-518-3 01-2119987993-12-XXXX | Skin Sens.1; H317 | < 1 |

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

| General advice | : Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. |
|-------------------------|---|
| If inhaled | : Move to fresh air. Consult a physician after significant exposure. |
| In case of skin contact | : Take off contaminated clothing and shoes immediately. |
| Country DE 00000034683 | |



| Revision Date 20.06.2017 | Version 5.0 | Print Date 20.06.2 |
|---------------------------------|--|--------------------|
| | Wash off with soap and plenty of water. If symptoms persist, call a physician. | |
| In case of eye contact | : Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. | |
| If swallowed | Do not induce vomiting without medical advic Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconsc | |
| 4.2 Most important symptoms a | and effects, both acute and delayed | |
| Symptoms | Allergic reactions See Section 11 for more detailed information and symptoms. | on health effects |
| Risks | : sensitising effects | |
| | May cause an allergic skin reaction. | |
| 4.3 Indication of any immediate | medical attention and special treatment neede | d |
| Treatment | : Treat symptomatically. | |
| SECTION 5: Firefighting mea | asures | |
| 5.1 Extinguishing media | | |

| Suitable extinguishing media | : Use extinguishing measures that are appropriate to local cir cumstances and the surrounding environment. | ſ- |
|--|---|----|
| 5.2 Special hazards arising from | the substance or mixture | |
| Specific hazards during fire- fighting | : Do not allow run-off from fire fighting to enter drains or wate courses. | ۶r |
| Hazardous combustion prod- ucts | : No hazardous combustion products are known | |
| 5.3 Advice for firefighters | | |
| Special protective equipment for firefighters | : In the event of fire, wear self-contained breathing apparatus | 3. |
| Further information | : Collect contaminated fire extinguishing water separately. The must not be discharged into drains. Fire residues and contained | |

ance with local regulations.

inated fire extinguishing water must be disposed of in accord-



Version 5.0

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

| Personal precautions | : Use personal protective equipment. Deny access to unprotected persons. |
|----------------------|---|
| | |

6.2 Environmental precautions

| Environmental precautions | : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform |
|---------------------------|--|
| | respective authorities. |

6.3 Methods and materials for containment and cleaning up

| Methods for cleaning up | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). |
|-------------------------|--|
| | Keep in suitable, closed containers for disposal. |

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

| Advice on safe handling | : Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products | |
|--|---|--|
| Advice on protection against fire and explosion | : Normal measures for preventive fire protection. | |
| Hygiene measures | : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. | |
| 7.2 Conditions for safe storage, including any incompatibilities | | |

| Requirements for storage | : Keep container tightly closed in a dry and well-ventilated |
|--------------------------|--|
| areas and containers | place. Containers which are opened must be carefully re- |
| | sealed and kept upright to prevent leakage. Store in accord- |
| | ance with local regulations. |
| | |



| Revision Date 20.06.2017 | Version 5.0 | Print Date 20.06.2017 | |
|--------------------------|--|-----------------------|--|
| Storage class (TRGS 510) | : 10, Combustible liquids | | |
| Other data | : No decomposition if stored and applied | as directed. | |
| 7.3 Specific end use(s) | | | |
| Specific use(s) | : No data available | | |

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

| Personal protective equipment | | | |
|---------------------------------|---|--|--|
| Eye protection : | Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water | | |
| Hand protection : | Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications. | | |
| | Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (0,4 mm), Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min. | | |
| Skin and body protection : | Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work. | | |
| Respiratory protection : | No special measures required. | | |
| Environmental exposure controls | | | |
| General advice : | Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities. | | |

Print Date 20.06.2017

Revision Date 20.06.2017

Version 5.0

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Appearance | ii ai : | liquid |
|--|------------|---------------------------|
| Colour | : | light grey |
| Odour | : | characteristic |
| Odour Threshold | : | No data available |
| Flash point | : | > 101 °C |
| Autoignition temperature | : | No data available |
| Decomposition temperature | : | No data available |
| Lower explosion limit (Vol-%) | : | No data available |
| Upper explosion limit (Vol-%) | : | No data available |
| Flammability | : | No data available |
| Explosive properties | : | No data available |
| Oxidizing properties | : | No data available |
| рН | : | Not applicable |
| Melting point/range / Freez- | : | No data available |
| ing point Boiling point/boiling range | : | No data available |
| Vapour pressure | : | 0,01 hPa |
| Density | : | ca.0,87 g/cm3 at 20 °C |
| Water solubility | : | insoluble |
| Partition coefficient: n- octanol/water | : | No data available |
| Viscosity, dynamic | : | No data available |
| Viscosity, kinematic | : | >20,5 mm2/s at 40 °C |
| Relative vapour density | : | No data available |
| Evaporation rate | : | No data available |
| | | |

9.2 Other information



Version 5.0

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Components:

6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine:

Acute oral toxicity : LD50 Oral (Rat): 1.515 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation: May cause an allergic skin reaction. Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Print Date 20.06.2017

Revision Date 20.06.2017

Version 5.0

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

| Ρ | ro | dι | ict: | |
|---|----|----|------|--|
| | | | | |

| Additional ecological infor- | : An environmental hazard cannot be excluded in the event of |
|------------------------------|--|
| mation | unprofessional handling or disposal. |
| | Toxic to aquatic life with long lasting effects. |

SECTION 13: Disposal considerations

13.1 Waste treatment methods Product : In accordance with the EWC Waste Regulation the classification of waste is to be assigned to the jurisdiction of the origin of waste. Therefore, it is not possible to assign a particular waste identification number. Completely emptied packagings may be given for recycling. Empty packaging may still contain hazardous residues. Empty packaging should be removed by a licensed waste contractor. Sika has agreed disposal contracts for all packaging which is



Version 5.0

brought into circulation in Germany. For further details see www.sika.de

SECTION 14: Transport information

| ADR | |
|--|---|
| 14.1 UN number | : 3082 |
| 14.2 Description of the goods | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| | (6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine) |
| 14.3 Class 14.4 Packing group Classification Code Labels Tunnel restriction code 14.5 Environmentally hazard- | : 9 : III : M6 : 9 : (-) : yes |
| ous IATA 14.1 UN number 14.2 Description of the goods | : 3082 : Environmentally hazardous substance, liquid, n.o.s. (6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine) |
| 14.3 Class 14.4 Packing group Labels | : 9 : III : 9 |
| 14.5 Environmentally hazard- ous | : yes |
| IMDG | |
| 14.1 UN number 14.2 Description of the goods | : 3082 : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine) |
| 14.3 Class 14.4 Packing group Labels EmS Number 1 EmS Number 2 | 2 9 2 III 2 9 2 F-A 2 S-F |
| 14.5 Marine pollutant | : yes |

14.6 Special precautions for user

No data available

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable



Revision Date 20.06.2017 Version 5.0

SECTION 15: Regulatory information

| 15. [,] | I Safety, health and environmen Prohibition/Restriction | tal regulations/legislatio | on | specific for the subs | tance or mixture |
|------------------|--|--|--------------------|--|---------------------|
| | REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) | | : | Banned and/or restricted (1,2-Benzenedicarboxylic acid, di- C9-11-branched alkyl esters, C10- rich) (low boiling point modified naphtha) | |
| | REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). | | : | None of the compone (=> 0.1 %). | ents are listed |
| | REACH - List of substances subje (Annex XIV) | ect to authorisation | : | Not applicable | |
| | REACH Information: | All substances contained - preregistered or registered - preregistered or registered - excluded from the regu- - exempted from the reg | ere ere ulat | ed by our upstream sup ed by us, and/or tion, and/or | opliers, and/or |
| | Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. | | | | |
| | E2 | ENVIRONMENTAL HAZARDS | | Quantity 1 200 t | Quantity 2 500 t |
| | Water contaminating class : (Germany) | WGK 3 highly water end | lan | igering | |
| | VOC-CH (VOCV) : | 0,24 % no VOC duties | | | |

VOC-EU (solvent) : 0,24 %

GISCODE : PU 40

15.2 Chemical safety assessment

This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

| Full text of H-Statements | | | |
|---------------------------|---|--|--|
| H302 | Harmful if swallowed. | | |
| H317 | May cause an allergic skin reaction. | | |
| H400 | Very toxic to aquatic life. | | |
| H410 | Very toxic to aquatic life with long lasting effects. | | |

Revision Date 20.06.2017

Version 5.0



Full text of other abbreviations

| Acute Tox. Aquatic Acute Aquatic Chronic Skin Sens. ADR | Acute toxicity Acute aquatic toxicity Chronic aquatic toxicity Skin sensitisation Accord européen relatif au transport international des marchandises |
|---|---|
| CAS | Dangereuses par Route Chemical Abstracts Service |
| DNEL | Derived no-effect level |
| EC50 | Half maximal effective concentration |
| GHS | Globally Harmonized System |
| IATA | International Air Transport Association |
| IMDG | International Maritime Code for Dangerous Goods |
| LD50 | Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals) |
| LC50 | Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period) |
| MARPOL | International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978 |
| OEL | Occupational Exposure Limit |
| PBT | Persistent, bioaccumulative and toxic |
| PNEC | Predicted no effect concentration |
| REACH | Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency |
| SVHC | Substances of Very High Concern |
| vPvB | Very persistent and very bioaccumulative |

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !